Reference No. : MH-6007T-1

Activated Carbon Cartridge Filter Toyo Roshi Kaisha, Ltd. 1/5 TCC-A1-(S, D, T)0CO

Issued Date: October 1, 2000 Revised Date: October 15, 2019

## Safety Data Sheet

1.	Product and Company Information Product name	:	Activated Carbon Cartridge Filter		
	Supplier company name, address, phone		TCC-A1-(S, D, T)0CO		
	number				
	Company	:	Toyo Roshi Kaisha, Ltd.		
	Head office		Hibiya-Kokusai BLDG 5F, 2-2-3 Uchisaiwaich Chiyoda-ku, Tokyo, 100-0011 Japan		
	Section in charge	:	Quality Assurance Division		
	Phone	:	+81-3-5521-2176		
	Fax	:	+81-3-5521-2177		
	E-mail	:	trk-hinsho@advantec.co.jp		
	Recommended application	:	Removal of smell in the gas.		
	Restrictions in use	:	• Please consult us for other uses.		
			• When using for filtration of organic solvents, use a stainless steel housing and ground it for antistatic measures.		
2.	Hazard Summary				
	GHS Classification				
	Physical hazards	:	Not applicable to the classification.		
	Human health hazard	:	Not applicable to the classification.		
	Environmental hazard	:	Not applicable to the classification.		
	Label element	:	N/A		
5.	Composition and Information on ingredients				
	Chemical substance/Mixture	:	Mixture		
	Chemical name or general product name	:	Activated Carbon Cartridge Filter		
	Ingredients and Content	:	Polypropylene/Polyethylene(Support media) (CAS No.9003-07-0) (CAS No.9002-88-4)		
			Activated Carbon (CAS No.7440-44-0)		
			Acrylonitrile-butadiene rubber		
			(Gasket cum Cap)		
			(CAS No.9003-18-3)		
			Less than 6% of carbon black and 0.7% of Bis phthalate(2-ethylhexyl) and 0.4% of zinc		
			oxide. Polyethylene(Protective net)		
			(CAS No.9002-88-4)		
			(CAS No.9010-79-1)		
			Silicone resin(Sealing material)		
	Reference Number in Gazetted List in				
	Japan				
	• Act on the Evaluation of Chemical	:	(6)-402 Polypropylene		
	Substances and Regulation of Their		<ul><li>(6)-1 Polyethylene</li><li>(6)-454 Acrylonitrile-butadiene copolymer</li></ul>		
	Manufacture etc.		(3)-1307 Bis phthalate(2-ethylhexyl)		
	Japanese Chemical Substances Control Act.		(1)-561 Zinc oxide		
	Japan's Industrial Safety and Health	:	Appendix No.9-130 Carbon black		
	Act.	•	Appendix No.9-130 Carbon black Appendix No.9-481 Bis phthalate(2-ethylhexyl)		
			Appendix No.9-188 Zinc oxide		
	1	/5			

Re	ference No. : MH-6007T-1 Activated Carbon Ca TCC-A1-(S, D, T	rtridge Filter Toyo Roshi Kaisha, Ltd. 2/5 T)0CO Issued Date: October 1, 2000 Revised Date: October 15, 2019
	UN classification :	Class 4.2 (Pyrophoric substances) Grade III Activated Carbon
	UN number :	1362 Activated Carbon Not a UN classification as a mixture.
4.	First Aid Measures	
	Inhalation :	Gargle with clean water to rinse your mouth throughly. (Activated Carbon)
	Skin contact :	Wash away with clean water. (Activated Carbon)
	Eye contact :	Immediately wash away thoroughly with clean running water. (Activated Carbon)
	Ingestion :	Gargle with clean water to rinse your mouth throughly. If you have physically unusual condition, consult with a physician.(Activated Carbon)
5.	Fire Fighting Measures	
	Extinguishing media :	Plenty of water (spray), dry chemicals, carbon dioxide, foam chemicals, and halogen media.
	Unacceptable extinguishing media :	No data available.
6.	Accidental Release Measures Personnel precautions, protective : equipment and emergency procedures Precautions for environment :	Put on some protecting equipment to minimize dust suction.(Activated Caron) No data available.
	Methods and materials for containment : and cleaning up	No data available.
7.	Handling and Storage Handling :	Please be careful about the handling by the fire.
	Storage :	Avoid strong acids and strong bases. Avoid direct sunlight, ultraviolet light, wetting, high and low temperatures, high humidity, open-air storage, strong acids and strong bases. If a total stored amount exceeds 3,000 kg, follow Fire Defense Law(specific combustible material)
8.	Prevention of exposure and human body protection	
	Allowable concenntration :	3.0 mg/m <sup>3</sup> (Activated Carbon)
	Acceptable concentration : Japan Society for Occupational Health	Aspirable dust ; $0.5 \text{mg/m}^3$ (Activated Carbon)
	Acceptable concentration ACGIH :	Dust ; 2.0 mg/m <sup>3</sup> (Activated Carbon) Not configuration.
	Facility provision :	Take effective measures if necessary.
	Protective equipment :	Use appropriate protective tools if necessary.
9.	Physical and Chemical Properties	
	Physical property :	Solid, Tubular filter.
	Color :	Red.
	Odour : Melting point / Freezing point :	None. No data available.
	Melting point / Freezing point : Boiling point or initial boiling point and : boiling range	No data available. No data available.
	0 /F	

Reference No. : MH-6007T-1	Activated Ca	arbon	Cartridge	Filter	Toyo Roshi Kaisha, Ltd.	3/5
	TCC-A	A1-(S, I	D, T)0CO		Issued Date: October 1, 20	000
					Revised Date: October 15	, 2019

	Flammability		Yes.
	Lower explosion limit and upper	:	Not applicable.
	explosion limit / Flammability limit		Not applicable
	Flash point	:	Not applicable.
	Spontaneous ignition point	:	Not applicable.
	Decomposition temperature	:	Not applicable. No data available.
	pH Kina and a subscription	:	
	Kinematic viscosity	:	Not applicable.
	Solubility	:	Insoluble in water.
	n-octanol / Water partition coefficient	:	No data available.
	Vapor pressure	:	No data available.
	Density or relative density	:	No data available.
	Relative gas density	:	Not applicable.
	Particle characteristics	:	No data available.
10.	Stability and Reactivity		
	Reactivity	:	Stable under normal handling.
	Chemical Stability	:	Stable under normal handling.
	Possibility of hazardous reactions	:	No data available.
	Conditions to avoid	:	Avoid storage conditions such as hot, cold,
			humid or outdoor and keep away from strong
			acid or strong alkali.
	Hazardous substances for mixing	:	No data available.
	Hazardous decomposition products	:	No data available.
11.	Toxicological Information		
	Acute toxicity		
	(oral)	:	Not applicable to the classification.
	(dermal)	:	Cannot be classified due to lack of data.
	(inhalation: gases)	:	Cannot be classified due to lack of data.
	(inhalation: vapours)	:	Cannot be classified due to lack of data.
	(inhalation: dust and mist)	:	Cannot be classified due to lack of data.
	Skin corrosion/ Irritation	:	Cannot be classified due to lack of data.
	Serious eye damage/ eye irritation	:	Cannot be classified due to lack of data.
	Respiratory sensitization / Skin sensitization	:	Cannot be classified due to lack of data.
	Germ cell mutagenicity	:	Cannot be classified due to lack of data.
	Carcinogenicity	:	Cannot be classified due to lack of data.
			(As an ingredient)
			It has been classified by IARC as a
			Group 3 (Not classifiable as to its
			carcinogenicity to humans), which the
			data is insufficient at this time.
	Depreductive toxicity		(Polypropylene/Polyethylene)
	Reproductive toxicity	:	Cannot be classified due to lack of data.
	Specific target organ toxicity - Single exposure	:	Cannot be classified due to lack of data.
	Specific target organ toxicity - Repeated	:	Cannot be classified due to lack of data.
	exposure		

12.	Ecological Information		
	Ecotoxicity		
	Hazardous to the aquatic environment	:	Cannot be classified due to lack of data.
	(acute)		
	Hazardous to the aquatic environment	:	Cannot be classified due to lack of data.
	(chronic)		
	Persistence and Degradability	:	No data available.
	Bioaccumulative potentional	:	No data available.
	Mobility in soil	:	No data available.
	Ozone layer hazard	:	Cannot be classified due to lack of data.

## 13. Disposal Considerations

Dispose it in accordance with national, prefectural and local regulations.

The same as general industrial waste, outsource industrial waste disposal companies or local public organizations who are authorized by governors.

In case of the incineration, use controlled incinerator following Air Pollution Control Law, Waste Disposal & Public Cleaning Law and Water Pollution Control Law. (We recommend disposing the material as an industrial waste.)

14.	Transportation Notes Regulatory information in case there are domestic regulations.	:	Applicable as designated Flammables in the Fire Service Act.
15.	<ul> <li>Applicable Law</li> <li>Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture etc.</li> <li>Japanese Chemical Substances Control Act.</li> </ul>	:	<ul> <li>Existing Chemical Substances</li> <li>(6)-402 Polypropylene</li> <li>(6)-1 Polyethylene</li> <li>(6)-454 Acrylonitrile-butadiene copolymer</li> <li>(3)-1307 Bis phthalate (2-ethylhexyl)</li> <li>(1)-561 Zinc oxide</li> </ul>
	Japan's industrial Safety and Health Act.	:	Dangerous/Hazardous Material required to mention or notify the name and related information. Appendix No.9-130 Carbon black Appendix No.9-481 Bis phthalate(2-ethylhexyl)
	Fire Defense Law :	:	Article 9-4 (Standard for storage and handling of hazardous material with less than specified amount), Article 1-12 on regulations of hazardous materials, and Group 4 specific flammable materials (synthetic resin. If a total amount is 3,000 kg, follow Fire Defense Law. If a total amount is less than 3,000 kg, follow the regulations defined by municipal ordinance for storage and handling of the material).

## 16. Note:

The descriptions in this Safety Data Sheet are made based on the literature, information or data that we can obtain at this moment but subject to be revised with new knowledge in the future. The content, physical and chemical properties, hazards, etc. do not provide any assurance, and

precautions are intended for normal handling. For special handling, take appropriate safety measures for the intended use. Please take that this safety data sheet is for your reference and take appropriate measures in

Please take that this safety data sheet is for your reference and take appropriate measures in accordance with actual conditions under your responsibility.

Please note that this Safety Data Sheet is created according to Japanese law.

Reference Literature

- Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" (JIS Z 7252:2019)
- Communicating hazard information on labels based on GHS—Labelling, Posting in the workplace and Safety Data Sheet (SDS) (JIS Z 7253:2019)